




PHILIPS


True Fashion

ST720T
ST721T




Hausing	Lumen package	Driver Type	Color temperature [K]		Pnom
ST720T	LED-XNB	PSU/PSD	PW9-3000	1,9	19,2
ST721T	LED-XNB	PSD	PW9-3000	2,2	17,6

Main dimensions





ST720T
ST721T





DALI ON

DALI OFF




2

3




ST721T

DO NOT ROTATE MANUALLY!
MOVEMENT IS CONTROLLED!




Inrush current



DC MINIJOLLY DALI BI 228800004141 PSD	
Ipeak[A]	5
Tref[us]	50
MCB	Max products [pcs]*
B-16A type B	50

Xit 36W/m 0.3-1.05A 929001415106 PSU	
Ipeak[A]	18.6
Tref[us]	240
MCB	Max products [pcs]*
B-16A type B	34



Only with soft cloths!

The light source contained in these luminaires shall only be replaced by manufacturer or his service agent or a similar qualified person!



© 2018 Signify Holding.

All rights reserved. This document contains information relating to the product portfolio of Signify which information may be subject to change. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.. All other trademarks are owned by Signify Holding or their respective owners.

Signify Holding.
The Netherlands